

THE KITCHEN studio

www.kitchenstudio.com

elica
aria nuova

Extractor Cooker Hoods available Exclusively from The Kitchen Studio



MIDRAND ■ RANDBURG ■ DURBAN ■ UMLANGA ■ PINETOWN ■ BALLITO
MARGATE ■ CAPETOWN ■ GHANA

R15 091
incl VAT

***ONLY AVAILABLE IN WHITE**

GENERAL FEATURES

Stainless Steel + White Glass

Controls : Magic Wand

Lighting : Halo 1x40W + halo 3x28W

Min-max airflow : 200-550 (m3/h)


Noise Level min-max : 38-58 db(A)

Pressure : 400Pa

Total Absorption : 254W

Duct Size : 150mm

Grease Filter aluminium



R 1 189
incl VAT




R20 700
incl VAT



GENERAL FEATURES

Stainless Steel + Glass
Controls : Magic Wand
Lighting : Halo 1x40W + halo 3x28W
Min-max airflow : 200-550 (m3/h)
Noise Level min-max : 38-58 db(A)
Pressure : 400Pa
Total Absorption : 290W
Duct Size : 150mm
Grease Filter aluminium



R 1 189
incl VAT



R13 483
incl VAT



Ambient light



≥ 50cm



≥ 70 cm

GENERAL FEATURES

Stainless Steel

Controls : Magic Wand

Lighting : Halo 1x40W + halo 3x28W

Min-max airflow : 200-550 (m3/h)


Noise Level min-max : 38-58 db(A)

Pressure : 400Pa

Total Absorption : 254W

Duct Size : 150mm

Grease Filter aluminium



REMOTE CONTROL INCLUDED



**R19 998
incl VAT**



Ambient light



≥ 50 cm



≥ 70 cm

GENERAL FEATURES

Stainless Steel

Controls : Magic Wand

Lighting : Halo 1x40W + halo 6x28W

Min-max airflow : 300-800 (m3/h)


Noise Level min-max : 41- 61 db(A)

Pressure : 400Pa

Total Absorption : 378W

Duct Size : 150mm

Grease Filter aluminium



OPTIONAL REMOTE CONTROL

**R 1 189
incl VAT**



R27 070
incl VAT

GENERAL FEATURES

Stainless Steel + Glass

Controls : Magic Wand

Lighting : Halo 1x40W + halo 3x28W

Min-max airflow : 200-550 (m3/h)


Noise Level min-max : 38- 58 db(A)

Pressure : 400Pa

Total Absorption : 254W

Duct Size : 150mm

Grease Filter aluminium



OPTIONAL REMOTE CONTROL

R 1 189
incl VAT



R15 023
incl VAT

*** AVAILABLE IN RED & BLACK**

GENERAL FEATURES

Controls : 3S + B electronic rotative
Lighting : Led 4x3W
Min-max airflow : 300-800 (m3/h)
Noise Level min-max : 47- 64 db(A)
Pressure : 440Pa
Total Absorption : 262W
Duct Size : 150mm
Grease Filter aluminium



Led light



Back aspiration



≥ 50cm




≥ 65cm



Dynamique


reddot design award
honourable mention 2012




R13 374
incl VAT

***ONLY AVAILABLE IN PEARL**

GENERAL FEATURES

Stainless Steel + Pearl
Controls : 3S Soft Light Push Button
Lighting : Halo 2x20W + halo 6x28W
Min-max airflow : 300-630 (m3/h)
Noise Level min-max : 48- 66 db(A)
Pressure : 450Pa
Total Absorption : 383W
Duct Size : 120mm
Grease Filter aluminium




R3 223
incl VAT



Elite

GENERAL FEATURES

90cm
Stainless Steel + Silver
Controls : 3S Mechanical Push Button
Lighting : Halo 2x28W
Min-max airflow : 300-500 (m3/h)
Noise Level min-max : 53- 62 db(A)
Pressure : 290Pa
Total Absorption : 170W
Duct Size : 120mm
Grease Filter aluminium



60cm:R1 845
incl VAT

80cm:R3 875
incl VAT



≥ 65cm



≥ 65cm



Elibloc

GENERAL FEATURES

60 & 80cm

Stainless Steel + Silver

Controls : 3S Slider

Lighting : Halo 2x28W

Min-max airflow : 250-430 (m3/h)


Noise Level min-max : 50- 63 db(A)

Pressure : 250Pa

Total Absorption : 256W

Duct Size : 120mm


Grease Filter aluminium





JOY BLIX - WALL

QUANTITY AVAILABLE:



Controls	3s + B Touch control
Commandes	Ecran tactile 3V+I
Lighting	Halo 2x20W
Éclairage	Halogène 2x20W
Min-max airflow	300-500
Débit d'air min-max (m³/h)	
Noise Level min-max	46-53
Niv. sonore min-max db(A)	
Pressure	175
Pression (Pa)	
Total absorption	210
Puissance totale (W)	
Duct Size	150
Sortie (mm)	
grease filter aluminium	
filtre à graisse aluminium	







EXCLUDING STONE CLADDING

STONE GALLERY - WALL

QUANTITY AVAILABLE:



Controls
Commandes

3s Soft Light Push Button
Clavier Soft Light 3V

Lighting
Éclairage

Halo 2x20W + Led 1x2W
Halogène 2x20W + Led 1x2W

Min-max airflow
Débit d'air min-max (m³/h)

300-630

Noise Level min-max
Niv. sonore min-max db(A)

46-65

Pressure
Pression (Pa)

450

Total absorption
Puissance totale (W)

235

Duct Size
Sortie (mm)


120-150

grease filter professional stainless steel
filtre à graisse professionnel inox



FLAT GLASS - WALL

QUANTITY AVAILABLE:



Controls
Commandes

3S mechanical push button
Clavier mécanique 3V

Lighting
Éclairage

Halo 2x20W
Halogène 2x20W

Min-max airflow
Débit d'air min-max (m³/h)

250-450

Noise Level min-max
Niv. sonore min-max db(A)

44-59

Pressure
Pression (Pa)

190

Total absorption
Puissance totale (W)

160

Duct Size
Sortie (mm)

120-150

grease filter aluminium
filtre à graisse aluminium

